LUXE

SPECIFICATION BOOK





WARRANTY	1
CLEANING AND CARE	2
NKBA KITCHEN GUIDELINES	
NKBA MEASURING GUIDE	6-8
CABINET SPECIFICATIONS AT-A-GLANCE	9-11
LUXE COLLECTION	
STANDARD WALLAND BASE CONSTRUCTION	12-13
DOOR STYLE AND COLOR	
BASE CABINETS	
WALL CABINETS	
TALL CABINETS	29
ACCESSORIES AND MOLDINGS	32-35
VANITIES	36
TOUCHUP KITS	36



Buy Wholesale Cabinets/BWC RTA Cabinets warrants to the original purchaser that cabinets, door hinges, and drawer glides will be free from defects in material and craft under normal usage and service for twelve months (Proof of Purchase is re

quired). This warranty is not transferable and is only applicable to product users for residential purposes.

Representatives of BWC / Buy Wholesale Cabinets do not have the authority to change or extend this warranty.

This warranty does not cover normal wear and tear, damage or defects caused by accidents, misuse, abuse, lack of necessary maintenance, or acts of God. Furthermore, it does not cover alteration, modification, improper installation, improper handling/storage, environmental conditions, or any labor expenses.

Buy Wholesale Cabinets/BWC RTA Cabinets, at our option, may elect to repair or replace with any functionally equivalent BWC product covered by this warranty. Some replacement parts are subject to availability and may differ from the original pieces. Return of the defective product may be required for a replacement to be issued. Repair or replacement parts are at the expense of BWC, but customers shall bear all other expenses. These expenses may include but are not limited to the cost of removal and reinstallation of the product, labor expenses, etc.

The variation in color and grain pattern in wood adds to its natural beauty and is not considered an imperfection. Environmental factors, including but not limited to artificial/natural light, moisture, cleaners, smoke, etc., may cause the darkening or mellowing of a cabinet over time. This natural process should be expected. This warranty does not cover the natural aging or darkening/mellowing of wood color, the inherent growth characteristics of or variation in wood.

Some cabinet lines feature a glazed finish, accentuating the door and drawer front profiles. This glaze is hand applied over a stain or paint and may consist of random drips, runs, etc., due to the nature of the application. As glazing is a hand-applied process, there will be variations in color and appearance from door to door and cabinet to cabinet. This is not considered a defect and is considered normal with hand-applied finishes. It is the nature of wood to expand and contract to varying degrees depending on climate conditions. As a result, cabinet lines with painted surfaces may show fractures in the paint at joints. This is normal and is not considered a defect.

This warranty is valid only in the United States of America and is not transferable. All implied warranties are limited to the shortest period provided by law or this warranty's period. This warranty excludes special, incidental, or consequential damages to the extent permitted by law. Some states do not allow the exclusion or limitations of incidental or consequential damages or limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights; you may have other rights which vary from state to state. To exercise this warranty, please contact the Buy Wholesale Cabinets supplier from whom you purchased the product. Report, in writing, to sales@buywholesalecabinets.com all defects claimed and include proof of purchase documentation.



FAILURE TO FOLLOW THESE GUIDLINES MAY VOID THE WARRANTY OF BUY WHOLESALE CABINETS PRODUCT.

GENERAL CARE

A soft cotton cloth dampened with warm water is usually sufficient to clean your cabinets. If more thorough cleaning is required, use one of the following cleaning solutions:

- A fresh solution of mild dish washing liquid mixed with warm water.
- A mild all-purpose cleaner that does not contain ammonia or silicone.

Use the mildest cleaning solution that will successfully clean your cabinets. Stronger products may damage or discolor your cabinet finish, may void your warranty, and are not recommended. After cleaning, wipe all surfaces with a clean, damp cotton cloth.

Dry immediately using another clean/ dry cotton cloth.

CLEANING PRODUCTS TO AVOID

Avoid using the following cleaning products on your cabinets:

- Harsh chemicals.
- Abrasive cleaning products such as: tub/sink cleansers, scouring powder, scouring pads, or steel wool.
- Sponges or dish cloths. (They may contain particles that could scratch your cabinets, or they may contain staining food or oil residue.)
- Ammonia or ammonia-based cleaning products.
- Bleach or bleach-based cleaning products.
- Silicone-based cleaning, waxing, or polishing products.

SPLATTERS & SPILLS

Clean spills and splatters immediately. Prolonged exposure to spills, including food, water, or other liquids, or to oil and grease splatters, can cause permanent discoloration or damage to your cabinet's finish.

REGULAR DUSTING

Use a clean/ dry soft cotton cloth for regular dusting. Packaged dusting sheets are not recommended. Do not use pre-moistened dusting sheets, or aerosol products made for dusting.

WAXING & POLISHING

Waxing is not recommended. Over time, waxing and polishing compounds may build up on the surface of your cabinet causing hazy, streaky, or a yellowed appearance to your cabinet's finish.

CLEANING GLASS DOORS

Extra care is required when cleaning glass doors. Spray an ammonia-free glass cleaner on a clean cotton cloth or paper towel. Do not spray cleaner directly on the glass. The spray could run or seep behind the frame or mullions and cause damage.

SCRATCHES, GOUGES, & NICKS

A Touch-Up Kit is available to hide surface damage. Use the kit's touch-up pen to hide minor blemishes. Use the kit's tinted putty to fill deeper scratches, or nicks. Detailed instructions are provided in each kit.

AVOID MOISTURE DAMAGE

Avoid draping damp clothes or dish clothes over cabinet doors. This moisture can cause permanent damage, including but not limited to peeling and discoloration of the cabinet's finish.

AVOID LIGHT DAMAGE

Exposure to direct sunlight tends to darken the color of natural wood products. Sunlight can also fade painted wood surfaces. Consider the use of draperies or blinds to protect your cabinets from direct sunlight.

AVOID HEAT DAMAGE

The heat generated when using an oven's self-cleaning feature is much greater than the heat of normal cooking. If this heat escapes from the oven, it can damage your cabinets. While this is a rare circumstance, you can minimize the risk of cabinet damage by removing cabinet doors and drawers nearest the oven before using its self-cleaning feature.



DOOR/ENTRY

Door opening should be at least 32" wide.

DOOR INTERFERENCE

Entry door should not interfere with safe appliance operation or appliance doors.

DISTANCE BETWEEN WORK CENTERS

With three work centers, the total distance traveled should not be more than 26' with no single leg of the triangle less than 4' or more than 9'.

With more than three work centers, each additional travel distance to another work center should be no less than 4' or more than 9'. Each leg is measured from the center-front of the appliance/sink. No work triangle leg should intersect an island/peninsula by more than 12".

SEPARATING WORK CENTERS

A tall obstacle should not separate two primary work centers. A properly recessed tall corner unit is acceptable.

Work Triangle Traffic Major traffic patterns should not cross through the basic work triangle.

WORK AISLE

The work aisle should be at least 42" for one cook and at least 48" for multiple cooks.

WALKWAY

The walkway width should be at least 36".

TRAFFIC CLEARANCE AT SEATING

Allow 32" of clearance from the table to wall/obstacle if no traffic passes behind a seated diner. If traffic passes behind the diner, allow at least 36" to edge past or 44" to walk past.

SEATING CLEARANCE

30" high tables/counters should allow a 24" wide by 18" deep space for each seated diner. 36" high counters should allow a 24" wide by 15" deep space for each seated diner and at least 15" kneespace. 42" high counters should allow a 24" wide by 12" deep space for each seated diner and at least 12" kneespace.

CLEAN-UP/PREP SINK PLACEMENT

With only one sink, locate it adjacent to or across from the cooking surface and refrigerator.

CLEAN-UP/PREP SINK LANDING AREA

Include at least a 24" landing space on one side of the sink and 18" on the other.

If all the countertop at the sink is not the same height, plan a 24" landing space on one side of the sink and 3" of countertop frontage on the other, both at the same height of the sink.

PREPARATION/WORK AREA

Include a section of countertop at least 36" wide x 24" deep next to the sink for a work area.

DISHWASHER PLACEMENT

Nearest edge of dishwasher should be within 36" of nearest edge of sink. Provide at least 21" of standing space between the edge of the dishwasher and countertop frontage/appliances/cabinets which are placed at a right angle to the dishwasher.

WASTE RECEPTACLES

Include at least 2 waste receptacles, one near the sink and the other nearby for recycling.

AUXILIARY SINK

Provide at least 3" of countertop frontage on one side of the auxiliary sink and 18" on the other side, both at the same height of the sink.

REFRIGERATOR LANDING AREA

Include at least 15" of landing area on the handle side of the refrigerator, 15" on either side of a side-by-side refrigerator, 15" of landing space which is no more than 48" across from the front of the refrigerator, and 15" above or adjacent to any under counter-style refrigerator.

COOKING SURFACE LANDING AREA

Include a minimum of 12" of landing area on one side of the cooking surface and 15" on the other. If cooking surface is at a different countertop height than the rest of the kitchen, then the 12" and 15" landing areas must be the same height as the cooking surface.

For safety reasons, in an island or peninsula situation, the countertop should extend a minimum of 9" behind the cooking surface if the counter height is the same height as the cooking surface.

COOKING SURFACE CLEARANCE

Allow 24" between the cooking surface and a protected noncombustible surface above it. At least 30" of clearance is required between the cooking surface and an unprotected/combustible surface above it.

If a microwave hood is used, then the manufacturer's specifications should be followed.



COOKING SURFACE VENTILATION

A correctly sized, ducted ventilation system is recommended for all cooking surface appliances. The recommended minimum is 150 CFM. Code requires that the manufacturer's specifications be followed.

Minimum exhaust rate for a ducted hood is 100 CFM and must be ducted to the outside.

Make-up airway may need to be provided. Refer to local cod.

COOKING SURFACE SAFETY

Do not locate cooking surface under an operable window.

Window treatments above cooking surface should not use flammable materials. Place a fire extinguisher near the kitchen exit away from cooking equipment.

MICROWAVE OVEN PLACEMENT

The ideal location for the bottom of the microwave is 3" below the principle user's shoulder, but no more than 54" above the floor.

MICROWAVE LANDING AREA

Provide at least 15" above, below, or adjacent to the handle side of a microwave oven.

OVEN LANDING AREA

Include at least 15" next to or above the oven. A 15" landing area that is not more than 48" away is also acceptable as long as the oven does not open into a walkway.

COMBINING LANDING AREAS

If two landing areas are adjacent to one another, determine a new minimum for the two by taking the longer of the two and adding 12".

COUNTERTOP SPACE

A total of 158" of countertop frontage, 24" deep, with at least 15" clearance above is needed to accommodate all landing, preparation, work, and storage areas.

COUNTERTOP EDGES

Clipped or round corners rather than sharp edges are recommended on all counters. Storage The recommended total shelf/drawer frontage for a small kitchen (less than 150 square feet) is 1400", a medium kitchen (151 to 350 square feet) is 1700", and for a large kitchen (greater than 350 square feet) is 2000".

STORAGE

The recommended total shelf/drawer frontage for a small kitchen (less than 150 square feet) is 1400", a medium kitchen (151-350 square feet) s 1700" and for a large kitchen (greater than 350 square feet) is 2000".

Sizes:	S	М	L
Wall:	300"	360"	360"
Base:	520"	615"	660"
Drawer:	360"	400"	525"
Pantry:	180"	230"	310"
Misc.:	40"	95"	145"

The totals for wall, base, drawer, and pantry shelf/drawer frontage can be adjusted upward or downward as long as the recommended total stays the same.

STORAGE AT CLEAN-UP/PREP SINK

The recommended total for a small kitchen is 400", a medium kitchen is 480", a large kitchen is 560", and should be located within 72" of the centerline of the main clean-up /prep sink.

CORNER CABINET STORAGE

At least one corner cabinet should include a functional storage device.

ELECTRICAL RECEPTACLES

GFCI (Ground-Fault-Circuit-Interruptor) protection is required on all receptacles servicing countertop surfaces within the kitchen.

LIGHTING

Every work surface should be well illuminated. At least one wall switch-controlled light must be placed at the entrance.

Window/skyligh tarea, equal to at least 8% of the total square footage of the kitchen, or a total living space which includes a kitchen, is required.

DOOR/ENTRY

Doorway opening should be at least 32", requiring a minimum 2' 10" wide door.

DOOR INTERFERENCE

Entry or fixture doors should not interfere with each other and/or the safe use of fixtures/cabinets.

CEILING HEIGHT

Bathroom floor to ceiling minimum height is 80". A shower or tub with a shower head shall have a minimum floor to ceiling height of 80" above a minimum area 30" x 30" at the shower head.

CLEAR SPACE

Plan a clear space of 30" from the front edge of all fixtures to any opposite bath fixture, wall, or obstacle. A minimum space of at least 21" is required in front of lavatory, toilet, bidet, and tub, with a 24" minimum space in front of a shower entry.

SINGLE LAVATORY PLACEMENT

The distance from the centerline of the lavatory to the sidewall/tall obstacle should be at least 20".





The minimum distance required is 15". The minimum distance required between a wall and the edge of a lavatory is 4".

DOUBLE LAVATORY PLACEMENT

The distance between the centerlines of two lavatories should be at least 36".

The minimum distance required is 30". The minimum distance required between the edges of two lavatories is 4".

LAVATORY/ VANITY HEIGHT

The height for a lavatory varies between 32"- 43" to fit the user.

SHOWER SIZE

The interior shower size should be at least 36" x 36". The minimum interior shower size required is 30" x 30".


* Any updated information can be found on the NKBA website.

To view a complete and update list of the NKBA Guidelines, visit: http://www.nkba.org/xindustry/planning_guidelines_list.asp



DRAWING YOUR EXISTING ROOM

Draw your room on the grid below. Keep in mind that each large square equals one foot and each small square equals three inches. Be sure to note the locations of doors, windows, electrical outlets, plumbing fixtures, ventilation, and major appliances. Once your design is completed, it is strongly recommended that you or your installer validate the dimensions on the design rendering.







MEASURING EXISTING ROOM(S)

Accurate measuring is a critical step in the remodeling process. Measurement errors are a source of significant delays and costly overruns. Please read these instructions carefully. Obtaining a professional measurement of the design space is highly recommended— talk to your designer for more details.

Note: The examples given are for a kitchen, but the same steps are needed for any design.

HOW TO MEASURE YOUR ROOM

Draw a rough sketch of your room on a separate sheet of paper as illustrated here. Once all the measurements are accurate, transfer the information to a copy of the grid paper in this specification booklet.

Record measurements as follows:

A good design fully utilizes the space available and measurement errors can create a situation where cabinets need to be replaced or fillers used to compensate.

Measure in inches only, not feet and inches.

Example: 138-1/4", not 11'6-1/4".

Measure to the nearest 1/8" and always round down.

Example: 138-1/8", not 138-3/16".

Measure openings (doors and windows) from outside trim edge to outside trim edge.

Indicate which way the doors swing on your final drawing like this:

MEASURE EACH WALL

Measure the full length of the wall, beginning in the left corner. Check length at two elevations, the ceiling and at the floor. Use the smallest dimension. Measure the wall in segments. Start in the left corner and measure to the outside edge of the first opening, such as a door or window.

Measure across the opening from outside trim edge to outside trim edge.

Measure from outside trim edge to the next opening, or to the far wall.

Check your overall dimensions: The measurements in steps 2, 3, and 4 should add up to equal the measurement you took in step 1. Example: $62 \frac{1}{2} + 36 + 39 \frac{3}{4} = 138 \frac{1}{4}$ "

LOCATE FIXTURES AND UTILITIES


Mark the center line location of sink, water lines, drains, gas lines, heating/air conditioning vents, electrical outlets, and switches.

TRANSFER MEASUREMENTS TO GRID

Transfer all of your measurements to the grid paper in this guide.

Important: Be sure to consider work place access measurements including dimensions for doors, door swings, door swing orientation and hallway openings.

Some cabinets may not fit through an existing openings assembled. Double-check all your measurements — it can save you both time and money.



MEASURING WINDOWS If your room does not have windows, simply write "Does Not Apply." Fill in the

Not Apply." Fill in the chart below for every window in your room.

Please do not leave any measurements blank.

indows A + B + C - D E F		Measure rom floor to vindow trin	windo	easure ow height ding trim		sure fror indow tr cei l ing	im to	Measure from floor to ceiling	Measure width of window	Si ll Length
	Windows	Α +	В	+	С	-	D	E	F	
	2									
	3									
	4									
	5									
	6									



PRODUCT SPECIFICATIONS NKEA NKBA CONSTRUCTION DETAILS

PROVIDING CONSTRUCTION DETAILS

PROVIDING CONSTRUCTION DETAILS	<u></u> <x <=""></x>
CEILING (factor in any floor covering changes) Ceiling heights, even in the same room, can vary.	Ceiling
Measure ceiling height in three places throughout the room:	Crown Molding
FLOOR	Wall Cabinets
Type of construction:	
SOFFITS / BULKHEADS Warning: Soffits typically contain electrical and plumbing elements that can't be relocated. Consult a professional on your remodel!	U>
Does the room have soffits / bulkheads?YesNo (If yes, please mark dimensions on the diagram to the right.)	()-
Do you plan to keep existing soffits / bulkheads? YesNo	(F
Will the soffits / bulkheads have recessed lighting?YesNo	(A soffit, also called a bulkhead, is the area between the top of a wall cabinet and the ceiling.)


MEASURING APPLIANCES AND FIXTURES:

Appliance dimensions are critical to the overall fit of all kitchen components. Whether you are buying new appliances or using existing ones, provide the dimensions for each appliance in your kitchen. Door hinges and handles can obstruct surrounding cabinets and must be factored into the design. Whenever possible, provide cut sheets for appliances. Cut sheets are installation guides that list the dimensions of the appliance. **Please do not leave any step blank.**


	Does Not Apply	Existing	New	Brand	Model	Dimensions W x D x H	Cut Sheets Enclosed?
Refrigerator*							
Freezer (stand alone)							
Range							
Cook Top							
Exhaust Hood							
Wall Oven							
Microwave, Wall Mount							
Microwave, Countertop							
Sink							
Disposal							
Dishwasher							
Compactor							
Other (explain)							
Would you like include r	natching D	ecorator I	Panels f	or these appliances?	☐ Yes	□No	



84" HIGH APPLICATION




90" HIGH APPLICATION







96" HIGH APPLICATION









WALL CABINET: 42" Tall Wall Cabinets Have (3) Adjustable Shelves.




BASE CABINET




2-DRAWER BASE CABINET



3-DRAWER BASE CABINET



(TALL) PANTRY CABINET: 96" Tall Cabinets Have (2) Adjustable Upper Shelves.



(TALL) DOUBLE OVEN CABINET: 96" Tall Cabinets Have (2) Adjustable Upper Shelves.




WALL CABINET ISOMETRIC VIEW

Back panel, 1/4" finished plywood with 1/2" x 2 3/8" bordering frame. Set into side, top, and bottom panels with dado cut channel(s)

Adjustable full-depth shelves made of 3/4" plywood edge banding on all 4 sides. Supported by 1/4" steel, nickel plated metal shelf rests.

6-Way adjustable soft-close full overlay hinge with all steel construction and nickel plated finish.

Self-closing feature allows door to close unassisted when approximately 10-15 degrees open. Hinge allows less than 3/16" frame to door gap. Hinge allows an in/ out adjustment of 1/16", up/ down adjustment of 1/4", and side/ side adjustment of 3/16" Hinge permits door to open approximately 107 degrees.



Top, side, and bottom panels all made of 3/4" plywood. Edge-banding towards face of cabinet box

Full overlay door, sized to nearly cover cabinet box face (full overlay door requires the use of knobs and pulls).

Doors are all wood and of a 5-piece construction. Doors consist of top/ bottom rails, side stiles, and center panel.

Dependent on door style; rails, and stiles may be mitered or milled at connection. Center panels are either a raised solid panel or a flat/ recessed plywood panel or MDF panel.


Our wood is a finely grained wood species with a fine even texture.

Darker stains will moderate the color variance, lighter stains mellow with golden hues over time. Features described below are typical and not considered defects:

- Creamy white to light blonde tones to dark reddish brown tones.
- Small mineral streaks of light blonde or reddish brown that darken with stain.
- Wavy, curly bird's-eye, or burl graining as well as worm tracking across the grain that will darken when stained.
- Variations within a single door.





BASE CABINET ISOMETRIC VIEW






CRAFTSMAN COLLECTION








WALL CABINET DOOR


BASE CABINET DOOR


AVAILABLE COLORS:

Oxford Blue, Graphite Gray, Modern White Shaker and Ivory White

CLASSIC COLLECTION







WALL CABINET DOOR

BASE CABINET DOOR

AVAILABLE COLORS:

White Deco and Classic Chestnut



Base cabinets may be modified to 21-1/2" in depth for use as vanities. An additional charge of \$31.00 will apply for each cabinet modified.

To request this service, add item code: CUT CHARGE TO 21-1/2" after each line item.

1 DRAWER 1 DOOR BASE CABINET 34 1/2"


SKU CODE	WXHXD
B09	9x34-1/2 x24
B12	12x34-1/2 x24
B15	15x34-1/2 x24
B18	18x34-1/2 x24
B21	21x34-1/2 x24

• 10-1/2" Adjustable shelf, finished on all sides

AVAILABLE IN

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

1 DRAWER 2 DOOR BASE CABINET




SKU CODE	WXHXD
B24	24×34-1/2 ×24
B27	27x34-1/2 x24
B30	30x34-1/2 x24
B33	33x34-1/2 x24
B36	36x34-1/2 x24
B39	39x34-1/2 x24
B42	42x34-1/2 x24

• 10-1/2" Adjustable shelf, finished on all sides

AVAILABLE IN
Ivory White
Cualabita Cuali

- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

2 DRAWER	DVCE	CADINET
2 DRAWER	DAJE	CADINE



SKU CODE	WXHXD
DB24-2	24×34-1/2 ×24
DB30-2	30x34-1/2 x24
DB36-2	36x34-1/2 x24


- Modern White Shaker
- Oxford Blue




Base cabinets may be modified to 21-1/2" in depth for use as vanities. An additional charge of \$31.00 will apply for each cabinet modified.

To request this service, add item code: CUT CHARGE TO 21-1/2" after each line item.

3 DRAWER BASE CABINET SKU CODE WXHXD**AVAILABLE IN** DB12-3 12x34-1/2 x24 ■ Ivory White DB15-3 15x34-1/2 x24 ■ Graphite Gray ■ Classic Chestnut DB18-3 18x34-1/2 x24 ■ White Deco DB21-3 21x34-1/2 x24 ■ Modern White Shaker DB24-3 24x34-1/2 x24 Oxford Blue 11 1/8" 34 1/2" DB27-3 27x34-1/2 x24 DB30-3 30x34-1/2 x24 DB33-3 33x34-1/2 x24 11 1/4" 36x34-1/2 x24 DB36-3







Base cabinets may be modified to 21-1/2" in depth for use as vanities. An additional charge of \$31.00 will apply for each cabinet modified.

To request this service, add item code: CUT CHARGE TO 21-1/2" after each line item.

34 ½*

DIAGONAL CORNER BASE CABINET

SKU CODE W X H X D BDC36 36x34-1/2 x24


- Full-height diagonal door, 1 Adjustable shelf.
- Lazy Susan insert sold separately.
- May also be used as a sink base cabinet with the shelf removed.

AVAILABLE IN

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

LAZY SUSAN CORNER BASE CABINET

— 15 3/8″₋




SKU CODE	WXHXD
BLS33	33x34-1/2 x24
BLS36	36x34-1/2 x24

 Full-height folding door, includes 1 metal Lazy Susan insert.

AVAILABLE IN

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

1 DRAWER 1 DOOR BLIND BASE CARINE					
	1 DDAWED	1 DOOD	DIINID	DVCE	CADINET





SKU CODE	WXHXD
BBC39	39x34-1/2 x24
BBC42	42x34-1/2 x24
BBC45	45x34-1/2 x24
CABINET	DOOR
BBC39	B12
BBC42	B15


- 1 Adjustable half shelf.
- Reversible L or R.
- Requires a return filler, not included, see page 31.

- Ivory White
- Graphite Gray
- White Deco
- Modern White Shaker
- Oxford Blue












OPEN-END BASE SHELF	SKU CODE	WXHXD	AVAILABLE IN
12"	BOES12L	12x34-1/2 x24	Ivory White
	BOES12R	12x34-1/2 x24	Graphite GrayClassic Chestnut
	Fixed shelf.		• White Deco
34½"			Modern White ShakerOxford Blue
(L) (R)			



30" HIGH 1 DOOR WALL CABINET




SKU CODE	WXHXD	AVAIL
W0930	9x30x12	Ivory
W1230	12x30x12	Graph
W1530	15x30x12	- Classi
W1830	18x30x12	WhiteMode
W2130	21x30x12	Oxfor

■ 1 Door, 2 Adjustable shelves.

ABLE IN

- White
- hite Gray
- ic Chestnut
- e Deco
- ern White Shaker
- rd Blue

36" HIGH 1 DOOR WALL CABINET




SKU CODE	WXHXD	AVAIL
W0936	9x36x12	Ivory
W1236	12x36x12	Graph
W1536	15x36x12	Classi
W1836	18x36x12	White
W2136	21x36x12	ModeOxfor
		3/11/01

• 1 Door, 2 Adjustable shelves.

LABLE IN

- White
- hite Gray
- sic Chestnut
- e Deco
- ern White Shaker
- ord Blue

42" HIGH 1 DOOR WALL CABINET



SKU CODE	WXHXD	AVAILABLE IN
W0942	9x42x12	Ivory White
W1242	12x42x12	Graphite Gray
W1542	15x42x12	 Classic Chestnut
W1842	18x42x12	White DecoModern White Shaker
W2142	21x42x12	Oxford Blue

• 1 Door, 3 Adjustable shelves.





SKU CODE	WXHXD
W2430	24x30x12
W2730	27x30x12
W3030	30x30x12
W3330	33x30x12
W3630	36x30x12
W3630	36x30x12

Ivory WhiteGraphite GrayClassic Chestnut

AVAILABLE IN


White Deco

Modern White Shaker

Oxford Blue

2 Door, 2 Adjustable shelves.

36" HIGH 2 DOOR WALL CABINET



SKU CODE	WXHXD
W2436	24x36x12
W2736	27x36x12
W3036	30x36x12
W3336	33x36x12
W3636	36x36x12

• 2 Door, 2 Adjustable shelves.

AVAILABLE IN

Ivory White

Graphite Gray


Classic Chestnut

White Deco

Modern White Shaker

Oxford Blues


42" HIGH 2 DOOR WALL CABINET



SKU CODE	WXHXD	AVAILABLE IN
W2442	24x42x12	Ivory White
W2742	27x42x12	Graphite Gray
W3042	30x42x12	Classic Chestnut
W3342	33x42x12	White DecoModern White Shake
W3642	36x42x12	Oxford Blue


• 2 Door, 3 Adjustable shelves.






2 Door, no shelf.


*Not Available in Classic Chestnut








DIAGONAL CORNER WALL CABINET



SKU CODE	WXHXD
WDC2412	24x12x2
WDC2418	24x18x12
WDC2424	24x24x12
WDC2430	24x30x12
WDC2436	24x36x12
WDC2442	24x42x12

- WDC2424 1 Adjustable shelf.
- WDC2430 & WDC2436 -2 Adjustable shelves.
- WDC2442 3 Adjustable shelves.

WALL END CABINET



SKU CODE	WXHXD
WEA1230	12x30x12
WEA1236	12x36x12
WEA1242	12x42x12

- WEA1230 & WEA1236 -2 Adjustable shelves.
- WEA1242 3 Adjustable shelves.


AVAILABLE IN

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

AVAILABLE IN

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

30" HIGH GLASS DOOR WALL CABINET




SKU CODE	WXHXD
WMD0930	09x30x12
WMD1230	12x30x12
WMD1530	15x30x12
WMD1830	18x30x12
WMD2130	21x30x12

- 1 Door, 2 Adjustable shelves.
- Designed to securely accommodate glass up to 1/4" thick (with a recommended glass depth of 1/8").
- Glass and clips not Included.

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue



36" HIGH GLASS DOOR WALL CABINET




SKU CODE	WXHXD
WMD0936	09x36x12
WMD1236	12x36x12
WMD1536	15x36x12
WMD1836	18x36x12
WMD2136	21x36x12

- 1 Door, 2 Adjustable shelves.
- Designed to securely accommodate glass up to 1/4" thick (with a recommended glass depth of 1/8").
- Glass and clips not Included.

AVAILABLE IN

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

42" HIGH GLASS DOOR WALL CABINET




SKU CODE	WXHXD
WMD0942	09x42x12
WMD1242	12×42×12
WMD1542	15×42×12
WMD1842	18x42x12
WMD2142	21x42x12

- 1 Door, 3 Adjustable shelves.
- Designed to securely accommodate glass up to 1/4" thick (with a recommended glass depth of 1/8").
- Glass and clips not Included.

AVAILABLE IN

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

30" HIGH 2 DOOR GLASS WALL CABINET




SKU CODE	WXHXD
WMD2430	24x30x12
WMD2730	27x30x12
WMD3030	30x30x12
WMD3330	30x30x12
WMD3630	36x30x12

- 2 Adjustable shelves.
- Designed to securely accommodate glass up to 1/4" thick (with a recommended glass depth of 1/8").
- Glass and clips not Included.

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue



36" HIGH 2 DOOR GLASS WALL CABINET




SKU CODE	WXHXD
WMD2436	24x36x12
WMD2736	27x36x12
WMD3036	30x36x12
WMD3336	33x36x12
WMD3636	36x36x12

- 2 Door, 2 Adjustable shelves.
- Designed to securely accommodate glass up to 1/4" thick (with a recommended glass depth of 1/8").
- Glass and clips not included.

AVAILABLE IN

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

42" HIGH 2 DOOR GLASS WALL CABINET




WXHXD
24x42x12
27x42x12
30x42x12
33x42x12
36x42x12

- 3 Adjustable shelves.
- Designed to securely accommodate glass up to 1/4" thick (with a recommended glass depth of 1/8").
- Glass and clips not included.

AVAILABLE IN

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

DIAGONAL GLASS WALL CABINET




SKU CODE	WXHXD
WDCMD2412	24x12x12
WDCMD2418	24x18x12
WDCMD2424	24x24x12
WDCMD2430	24x30x12
WDCMD2436	24x36x12
WDCMD2442	24x42x12

- WDCMD2430 & WDCMD2436
 - 1 Door 2 Adjustable shelves.
- WDCMD2442 1 Door,
 3 Adjustable shelves.
- Designed to securely accommodate glass up to 1/4" thick (with a recommended glass depth of 1/8").
- Glass and clips not Included.

- Ivory White
- Graphite Gray
- Classic Chestnut
- Classic Chestric
- White Deco
- Modern White Shaker
- Oxford Blue




GLASS WALL END CABINET



SKU CODE	WXHXD
WEAMD1230	12X30x24
WEAMD1236	12x36x24
WEAMD1242	12x42x24

- **AVAILABLE IN**
- Ivory White
- Graphite Gray Classic Chestnut
- White Deco
- Modern White Shaker
- WEA1230 & WEA1236 1 Door, Oxford Blue 2 Adjustable shelves.
- WEA1242 1 Door, 3 Adjustable shelves.
- Designed to securely accommodate glass up to 1/4" thick (with a recommended glass depth of 1/8").
- Glass and clips not included.

12" DEEP GLASS WALL CABINETS



SKU CODE	WXHXD
WMD2412*	24x12x12
WMD2415*	24x15x12
WMD2424	24x24x12
WMD3012	30x12x12
WMD3012	30x12x12
WMD3015	30x15x12
WMD3018	30x18x12
WMD3021	30x21x12
WMD3024	30x24x12
WMD3612	36x12x12
WMD3615	36x15x12
WMD3618	36x18x12
WMD3621	36x21x12
WMD3624	36x24x12

- 2 Door, no shelf.
- Designed to securely accommodate glass up to 1/4" thick (with a recommended glass depth of 1/8").
- Glass and clips not included.

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

^{*}Not Available in Classic Chestnut




24" DEEP GLASS WALL CABINETS 30", 36" 24" 24" 24"

AVAILABLE IN

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue
- 2 Door, No shelves.
- WMD3024 & WMD3624 -2 Doors, 1 Shelf.
- Designed to securely accommodate glass up to 1/4" thick (with a recommended glass depth of 1/8").
- Glass and clips not Included.

OPEN END WALL SHELF




SKU CODE	WXHXD
WOES0630	6x30x12
WOES0636	6x36x12
WOES0642	6x42x12

- WOES0630 & WOES36 -2 Fixed shelves.
- WOES0642 3 Fixed shelves.
- Must specify right (R) or (L).

AVAILABLE IN

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue



- SKU CODE
 W X H X D


 WOES1230
 12x30x12

 WOES1236
 12x36x12

 WOES1242
 12x42x12
- WOES1230 & WOES1236 -3 Fixed shelves.
- WOES1242 4 Fixed shelves.

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue









SINGLE DOOR PANTRY CABINET 30" 36" 42" 84" 90" 96" 491/2"

SKU CODE WXHXD PC1884 18x84x24 PC1890 18x90x24 PC1896 18x96x24

- 84" 6 Shelves (2 fixed, 4 adjustable).
- 90" & 96" 7 Shelves (2 fixed, 5 adjustable).
- 21" Deep shelves.
- Roll-out drawers available on page 30

AVAILABLE IN

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

DOUBLE DOOR PANTRY CABINET SKU CODE WXHXD**AVAILABLE IN** 24x84x24 PC2484 **-**24"-30"→ Ivory White PC2490 24x90x24 Graphite Gray Classic Chestnut PC2496 24x96x24 White Deco Modern White Shaker PC3084 30x84x24 Oxford Blue PC3090 30x90x24 30x96x24 PC3096 84" - 6 Shelves (2 fixed, 4 adjustable). 49 1/2" 90" & 96" - 7 Shelves (2 fixed, 5 adjustable). 23" Deep shelves. Roll-out drawers available on page 30

	30"————————————————————————————————————
84" 90" 96"	15" 21" 27" 27"
	—

DOUBLE DOOR OVEN CABINET

	DOC3090	30x90x24
	DOC3096	30x96x24
-	2 Upper doors shelf (DOC30 shelves). 1 Lov Can be used fo and double ov Buy Wholesale for details.	96 - 2 Upper wer drawer. or both single en, ask
	Oven opening	

SKU CODE DOC3084

	200000	CONSONE
	DOC3096	30x96x24
•	2 Upper doors shelf (DOC30 shelves). 1 Lov Can be used for and double ov Buy Wholesald for details.	96 - 2 Upper wer drawer. or both single en, ask
	Oven opening 53.5" H (insid	is 28.5" W x e dimensions).
	Trim included f	or 27" appliance


WXHXD


30x84x24

- Ivory White
- Graphite Gray
- Classic Chestnut
- White Deco
- Modern White Shaker
- Oxford Blue

























CROWN MOLDING - CLASSIC




SKU CODE WXHXD **AVAILABLE IN** CCM8

2-3/8 x3-1/4x96 Classic Chestnut

- White Deco 8 Feet long with a projection of 2-3/8".
 - Modern White Shaker


CROWN MOLDING - ANGLE



SKU CODE WXHXD ACM8 3x3x96

- 8 Feet long with a projection of 3.
- **AVAILABLE IN**
- Ivory White
- Graphite Gray
- White Deco
- Modern White Shaker
- Oxford Blue


COVE MOLDING



SKU CODE WXHXD 5x3-1/2x96 CVM8

- 8 Feet long with a projection of 5".
- **AVAILABLE IN**
- Ivory White
- Graphite Gray
- White Deco
- Modern White Shaker
- Oxford Blue

COUNTER TOP MOLDING




SKU CODE CTM8

8 Feet long.

WXHXD

- 2x3/4x96
- **AVAILABLE IN**
- Ivory White
- Graphite Gray
- White Deco
- Modern White Shaker
- Oxford Blue

OGEE MOLDING




SKU CODE

WXHXD


- OGM8 2x3/4x96
 - - White Deco Modern White Shaker
- 8 Feet long.







Oxford Blue

















TOUCH-UP KITS	ITEM CODE/TYPE/AVAILABLE IN		
	TKITP/KIT	TKITP-SPRAY/SPRAY	TKITP-PUTTY/PUTTY
	Ivory White	Ivory White	Graphite Gray
	Graphite Gray	Graphite Gray	White Deco
	White Deco	White Deco	Modern White Shaker
	Modern White Shaker	Modern White Shaker	Oxford Blue
	 Oxford Blue 	Oxford Blue	

- When ordering, add the color code before the item code: CGTKITP=Oxford Blue Touch-up Kit.
- TKITP: (1) Color match fil-stick, (1) color match touch-up marker, (1) small buffing pad, and (1) small scrapper. TKITP-SPRAY: (1) 13-ounce aerosol can.





Sales: 469-898-8077

Customer Service: 469-809-5196 sales@buywholesalecabinets.com

BUYWHOLESALECABINETS.COM

GET SOCIAL WITH US

















SPECIAL NOTE: Throughout this brochure, the product names are intended to evoke the color and style of the material only and are not intended to indicate or describe the materials used in cabinetry manufacturing.

©2025 by Buy Wholesale Cabinets. | All Rights Reserved. |